



**TUMBLE DRYER**

**Model No.**

**LPD-2500-125**

# LE PROTEK TUMBLE DRYER

We are committed to designing the most efficient tumble dryers, recognizing their crucial role in your laundry operations. Standard axial airflow. With features such as inverter motors, belt driving, drum insulation and more, our machines are engineered to enhance energy efficiency while operating smoothly and quietly.

## FEATURE

- Reversing Stainless steel cylinder.
- Painted carbon steel panels.
- Super large door with 180° opening. Optional slid door or flip door.
- Heavy-duty door hinge ensures prolonged machine operation.
- Inverter drive motor and fan motor.
- 3D airflow and heat isolation.
- Optional moisture sensor.
- Optional forward tilting for 100kg slide door or flip door models.

## PRODUCT PARAMETER:

MODEL	LPD-2000-100	
Control		Touch
Capacity	kg	125
Reversing Drum	/	Yes
Cylinder Diameter	mm	1640
Cylinder Depth	mm	1180
Volume	liter	2493
Gas Heating Inlet	inch	1
Steam Heating Inlet	inch	1-1/4
Steam Outlet	inch	1-1/4"*2
Compressed air inlet*	mm	8
Exhaust	mm	400*400
Drive Motor	kW	3
Fan Power	kW	3*2
Electric Heating	RPM	72
Power Supply	-	380V/50Hz/3ph
Door Centre to Floor	mm	1402
Overall Width	mm	1849
Overall Depth	mm	1886
Overall Height	mm	2663
Net Weight	kg	1310
Packing Width	mm	Body 1949/ heating element 1400
Packing Depth	mm	Body 1986/ heating element 1500
Packing Height	mm	Body 1900/ heating element 800